

## Bibliography

### Compiled by Daniel Richter

---

#### From 1st May 2011 to 31st October 2011

Akselrod, M. S. (2011). Fundamentals of Materials, Techniques, and Instrumentation for OSL and FNTD Dosimetry. *AIP Conference Proceedings* **1345**, 274-302.

Alappat, L., Frechen, M., Ramesh, R., Tsukamoto, S., and Srinivasalu, S. (2011). Evolution of late Holocene coastal dunes in the Cauvery delta region of Tamil Nadu, India. *Journal of Asian Earth Sciences* **42**, 381-397.

Arnold, L. J., and Roberts, R. G. (2011). Paper I – Optically stimulated luminescence (OSL) dating of perennially frozen deposits in north-central Siberia: OSL characteristics of quartz grains and methodological considerations regarding their suitability for dating. *Boreas* **40**, 389-416.

Arnold, L. J., Roberts, R. G., Macphee, R. D. E., Haile, J. S., Brock, F., MÖller, P. E. R., Froese, D. G., Tikhonov, A. N., Chivas, A. R., Gilbert, M. T. P., and Willerslev, E. (2011). Paper II – Dirt, dates and DNA: OSL and radiocarbon chronologies of perennially frozen sediments in Siberia, and their implications for sedimentary ancient DNA studies. *Boreas* **40**, 417-445.

Athanassas, C. (2011). Constraints on the precision of SAR in equivalent dose estimations close to saturation in quartz. *Geochronometria* **38**, 413-423.

Atkinson, O. A. C., Thomas, D. S. G., Goudie, A. S., and Bailey, R. M. (2011). Late Quaternary chronology of major dune ridge development in the northeast Rub' al-Khali, United Arab Emirates. *Quaternary Research* **76**, 93-105.

Bailey, R. M., Yukihara, E. G., and McKeever, S. W. S. (2011). Separation of quartz optically stimulated luminescence components using green (525 nm) stimulation. *Radiation Measurements* **46**, 643-648.

Bakraji, E., Ahmad, M., Salman, N., Haloum, D., Boutros, N., and Abboud, R. (2011). Dating and classification of Syrian excavated pottery from Tell Saka Site, by means of thermoluminescence analysis, and multivariate statistical methods, based on PIXE analysis. *Journal of Radioanalytical and Nuclear Chemistry* **289**, 423-429.

Bakraji, E. H. (2011). Study of Syrian archaeological pottery by the combined application of thermoluminescence (TL) dating, X-ray fluorescence analysis and statistical multivariate analysis. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* **269**, 2052-2056.

Basarin, B., Vandenberghe, D. A. G., Markovic, S. B., Catto, N., Hambach, U., Vasiliniuc, S., Derese, C., Roncevic, S., Vasiljevic, D. A., and Rajic, L. (2011). The Belotinac section (Southern Serbia) at the southern limit of the European loess belt: Initial results. *Quaternary International* **240**, 128-138.

Bateman, M. D., Buckland, P. C., Whyte, M. A., Ashurst, R. A., Boulter, C., and Panagiotakopulu, E. V. A. (2011). Re-evaluation of the Last Glacial Maximum typesite at Dimlington, UK. *Boreas* **40**, 573-584.

Bennett, J. A., Brown, A. G., Schwenninger, J. L., and Rhodes, E. J. (2011). Holocene channel changes and geoarchaeology of the Exe River, Devon, UK, and the floodplain paradox. *Special Paper of the Geological Society of America* **476**, 135-152.

Berger, G. W. (2011). Surmounting luminescence age overestimation in Alaska-margin Arctic Ocean sediments by use of 'micro-hole' quartz dating. *Quaternary Science Reviews* **30**, 1750-1769.

- Berger, G. W. (2011). A practical correction for sensitivity change in thermoluminescence multi-aliquot-regeneration dating of feldspar dominated fine grain loess. *Radiation Measurements* **46**, 1043-1054.
- Bertucci, M., Veronese, I., and Cantone, M. C. (2011). Photo-transferred thermoluminescence from deep traps in quartz. *Radiation Measurements* **46**, 588-590.
- Bogemans, F., and Vandenberghe, D. (2011). OSL dating of an inland dune along the lower River Scheldt near Aard (East Flanders, Belgium). *Geologie en Mijnbouw/Netherlands Journal of Geosciences* **90**, 23-29.
- Busch, M. M., Arrowsmith, J. R., Umhoefer, P. J., Cayan, J. A., Maloney, S. J., and Gutierrez, G. M. (2011). Geometry and evolution of rift-margin, normal-fault-bounded basins from gravity and geology, La Paz-Los Cabos region, Baja California Sur, Mexico. *Lithosphere* **3**, 110-127.
- Buylaert, J.-P., Thiel, C., Murray, A., Vandenberghe, D., Yi, S., and Lu, H. (2011). IRSL and post-IR IRSL residual doses recorded in modern dust samples from the Chinese Loess Plateau. *Geochronometria* **38**, 432-440.
- Croke, J., Jansen, J. D., Amos, K., and Pietsch, T. J. (2011). A 100 ka record of fluvial activity in the Fitzroy River Basin, tropical northeastern Australia. *Quaternary Science Reviews* **30**, 1681-1695.
- Cunningham, A., Wallinga, J., and Minderhoud, P. (2011). Expectations of scatter in equivalent-dose distributions when using multi-grain aliquots for OSL dating. *Geochronometria* **38**, 424-431.
- Cunningham, A. C., Bakker, M. A. J., van Heteren, S., van der Valk, B., van der Spek, A. J. F., Schaart, D. R., and Wallinga, J. (2011). Extracting storm-surge data from coastal dunes for improved assessment of flood risk. *Geology* **39**, 1063-1066.
- Derese, C., Vandenberghe, D. A. G., Zwertvaegher, A., Court-Picon, M., Crombé, P., Verniers, J., and Van Den Haute, P. (2010). The timing of aeolian events near archaeological settlements around Heidebos (Moervaart area, N Belgium). *Geologie en Mijnbouw/Netherlands Journal of Geosciences* **89**, 173-186.
- Durcan, J. A., and Duller, G. A. T. (2011). The fast ratio: A rapid measure for testing the dominance of the fast component in the initial OSL signal from quartz. *Radiation Measurements* **46**, 1065-1072.
- Fruchter, N., Matmon, A., Avni, Y., and Fink, D. (2011). Revealing sediment sources, mixing, and transport during erosional crater evolution in the hyperarid Negev Desert, Israel. *Geomorphology* **134**, 363-377.
- Fuchs, M., Will, M., Kunert, E., Kreutzer, S., Fischer, M., and Reverman, R. (2011). The temporal and spatial quantification of Holocene sediment dynamics in a meso-scale catchment in northern Bavaria, Germany. *The Holocene* **21**, 1093-1104.
- Fujita, H., Jain, M., and Murray, A. S. (2011). Retrospective dosimetry using Japanese brick quartz: A way forward despite an unstable fast decaying OSL signal. *Radiation Measurements* **46**, 565-572.
- Gartia, R. K., and Singh, L. L. (2011). Evaluation of trapping parameter of quartz by deconvolution of the glow curves. *Radiation Measurements* **46**, 664-668.
- Guedes, C. C. F., Giannini, P. C. F., Sawakuchi, A. O., DeWitt, R., Nascimento Jr, D. R., Aguiar, V. A. P., and Rossi, M. G. (2011). Determination of controls on Holocene barrier progradation through application of OSL dating: The Ilha Comprida Barrier example, Southeastern Brazil. *Marine Geology* **285**, 1-16.
- Henshilwood, C. S., d'Errico, F., van Niekerk, K. L., Coquinot, Y., Jacobs, Z., Lauritzen, S.-E., Menu, M., and García-Moreno, R. (2011). A 100,000-Year-Old Ochre-Processing Workshop at Blombos Cave, South Africa. *Science* **334**, 219-222.

- Jacobs, Z., Meyer, M. C., Roberts, R. G., Aldeias, V., Dibble, H., and El Hajraoui, M. A. (2011). Single-grain OSL dating at La Grotte des Contrebandiers ('Smugglers' Cave'), Morocco: improved age constraints for the Middle Paleolithic levels. *Journal of Archaeological Science* **38**, 3631-3643.
- Jacobs, Z., Roberts, R. G., Lachlan, T. J., Karkanas, P., Marean, C. W., and Roberts, D. L. (2011). Development of the SAR TT-OSL procedure for dating Middle Pleistocene dune and shallow marine deposits along the southern Cape coast of South Africa. *Quaternary Geochronology* **6**, 491-513.
- Jia, Y., Huang, C., and Mao, L. (2011). OSL dating of a Holocene loess-paleosol sequence in the southern Loess Plateau, China. *Environmental Earth Sciences* **64**, 1071-1079.
- Junior, A. P. M., Cherem, L. F. S., Barros, L. F. d. P., and Santos, G. B. d. (2011). OSL dating of sediments from a mountainous river in southeastern Brazil: Late Cenozoic tectonic and climatic implications. *Geomorphology* **132**, 187-194.
- Kang, S., Lu, Y., and Wang, X. (2011). Closely-spaced recuperated OSL dating of the last interglacial paleosol in the southeastern margin of the Chinese Loess Plateau. *Quaternary Geochronology* **6**, 480-490.
- King, G. E., Finch, A. A., Robinson, R. A. J., Taylor, R. P., and Mosselmans, J. F. W. (2011). The problem of dating quartz 2: Synchrotron generated X-ray excited optical luminescence (XEOL) from quartz. *Radiation Measurements* **46**, 1082-1089.
- Kinoshita, A., Jose, F. A., Sundaram, D., Paixão, J. d. S., Soares, I. R. M., Figueiredo, A. M., and Baffa, O. (2011). Electron spin resonance dating of teeth from Western Brazilian megafauna – preliminary results. *Radiation Measurements* **46**, 842-846.
- Klasen, N., Engel, M., Brückner, H., Hausleiter, A., Intilia, A., Eichmann, R., al-Najem, M. H., and al-Said, S. F. (2011). Optically stimulated luminescence dating of the city wall system of ancient Tayma (NW Saudi Arabia). *Journal of Archaeological Science* **38**, 1818-1826.
- Kunz, A., Frechen, M., Ramesh, R., and Urban, B. (2010). Periods of recent dune sand mobilisation in Cuddalore, Southeast India. Phasen rezenter Dünenaktivität in Cuddalore, Südost-Indien. *Zeitschrift der Deutschen Gesellschaft für Geowissenschaften* **161**, 353-368.
- Kusiak, J., Rychter, M., and Stasiak-Cyran, M. (2011). Attempts at thermoluminescence dating of fired materials from the Przeworsk Culture settlements. *Geochronometria* **38**, 359-368.
- Łanczont, M., Bogucki, A., Fedorowicz, S., and Kusiak, J. (2011). Mesopleistocene loess deposits in the Mamalyha 2 profile of Ukraine — interlaboratory comparison of the thermoluminescence dating results. *Geochronometria* **38**, 350-358.
- Larsen, N. K., Kjær, K. H., Olsen, J., Funder, S., Kjeldsen, K. K., and Nørgaard-Pedersen, N. (2011). Restricted impact of Holocene climate variations on the southern Greenland Ice Sheet. *Quaternary Science Reviews* **30**, 3171-3180.
- Laskaris, N., and Liritzis, I. (2011). A new mathematical approximation of sunlight attenuation in rocks for surface luminescence dating. *Journal of Luminescence* **131**, 1874-1884.
- Lauer, T., Bonn, R., Frechen, M., Fuchs, M., Trier, M., and Tsukamoto, S. (2011). Geoarchaeological studies on Roman time harbour sediments in Cologne — comparison of different OSL dating techniques. *Geochronometria* **38**, 341-349.

Le Dortz, K., Meyer, B., Sébrier, M., Braucher, R., Nazari, H., Benedetti, L., Fattahi, M., Bourlès, D., Foroutan, M., Siame, L., Rashidi, A., and Bateman, M. D. (2011). Dating inset terraces and offset fans along the Dehshir Fault (Iran) combining cosmogenic and OSL methods. *Geophysical Journal International* **185**, 1147-1174.

Lehmkuhl, F., Hilgers, A., Fries, S., Hülle, D., Schlütz, F., Shumilovskikh, L., Felauer, T., and Protze, J. (2011). Holocene geomorphological processes and soil development as indicator for environmental change around Karakorum, Upper Orkhon Valley (Central Mongolia). *Catena* **87**, 31-44.

Leopold, M., Völkel, J., Dethier, D., Huber, J., and Steffens, M. (2011). Characteristics of a paleosol and its implication for the Critical Zone development, Rocky Mountain Front Range of Colorado, USA. *Applied Geochemistry* **26**, S72-S75.

Li, B., and Li, S.-H. (2011). Luminescence dating of K-feldspar from sediments: A protocol without anomalous fading correction. *Quaternary Geochronology* **6**, 468-479.

Li, C., Zheng, W., and Wang, W. (2011). Trenching exposures of the surface rupture of 2008 Mw 7.9 Wenchuan earthquake, China: Implications for coseismic deformation and paleoseismology along the Central Longmen Shan thrust fault. *Journal of Asian Earth Sciences* **40**, 825-843.

Liang, P., Wang, G. X., and Wen, J. H. (2011). The detection filter choice of the OSL dating instrument. In "2011 International Conference on Electronic and Mechanical Engineering and Information Technology, EMEIT 2011." pp. 4030-4032.

Liu, C.-R., and Grün, R. (2011). Fluvio-mechanical resetting of the Al and Ti centres in quartz. *Radiation Measurements* **46**, 1038-1042.

Lu, H., Mason, J. A., Stevens, T., Zhou, Y., Yi, S., and Miao, X. (2011). Response of surface processes to climatic change in the dunefields and Loess Plateau of North China during the late Quaternary. *Earth Surface Processes and Landforms* **36**, 1590-1603.

Lü, T., and Sun, J. (2011). Luminescence sensitivities of quartz grains from eolian deposits in northern China and their implications for provenance. *Quaternary Research* **76**, 181-189.

Lüthgens, C., Böse, M., Lauer, T., Krbetschek, M., Strahl, J., and Wenske, D. (2011). Timing of the last interglacial in Northern Europe derived from Optically Stimulated Luminescence (OSL) dating of a terrestrial Saalian-Eemian-Weichselian sedimentary sequence in NE-Germany. *Quaternary International* **241**, 79-96.

Lüthgens, C., Böse, M., and Preusser, F. (2011). Age of the Pomeranian ice-marginal position in northeastern Germany determined by Optically Stimulated Luminescence (OSL) dating of glaciofluvial sediments. *Boreas* **40**, 598-615.

LysÅ, A., Jensen, M. A., Larsen, E., Fredin, O. L. A., and Demidov, I. N. (2011). Ice-distal landscape and sediment signatures evidencing damming and drainage of large pro-glacial lakes, northwest Russia. *Boreas* **40**, 481-497.

Macken, A. C., Jankowski, N. R., Price, G. J., Bestland, E. A., Reed, E. H., Prideaux, G. J., and Roberts, R. G. (2011). Application of sedimentary and chronological analyses to refine the depositional context of a Late Pleistocene vertebrate deposit, Naracoorte, South Australia. *Quaternary Science Reviews* **30**, 2690-2702.

Madsen, A., Buylaert, J.-P., and Murray, A. (2011). Luminescence dating of young coastal deposits from New Zealand using feldspar. *Geochronometria* **38**, 379-390.

Mallinson, D. J., Smith, C. W., Mahan, S., Culver, S. J., and McDowell, K. (2011). Barrier island response to late Holocene climate events, North Carolina, USA. *Quaternary Research* **76**, 46-57.

- Maman, S., Blumberg, D. G., Tsoar, H., Mamedov, B., and Porat, N. (2011). The Central Asian ergs: A study by remote sensing and geographic information systems. *Aeolian Research* **3**, 353-366.
- May, J.-H., Zech, J., Zech, R., Preusser, F., Argollo, J., Kubik, P. W., and Veit, H. (2011). Reconstruction of a complex late Quaternary glacial landscape in the Cordillera de Cochabamba (Bolivia) based on a morphostratigraphic and multiple dating approach. *Quaternary Research* **76**, 106-118.
- Mishra, D. R., Soni, A., Rawat, N. S., Kulkarni, M. S., Bhatt, B. C., and Sharma, D. N. (2011). Method of measuring thermal assistance energy associated with OSL traps in [alpha]-Al<sub>2</sub>O<sub>3</sub>:C phosphor. *Radiation Measurements* **46**, 635-642.
- Nejman, L., Rhodes, E., Škrdla, P., Tostevin, G., Neruda, P., Nerudová, Z., Valoch, K., Oliva, M., Kaminská, L., Svoboda, J. A., and Grün, R. (2011). New chronological evidence for the Middle to Upper Palaeolithic transition in the Czech Republic and Slovakia: New optically stimulated luminescence dating results. *Archaeometry* **53**, 1044-1066.
- Pagonis, V., Lawless, J., Chen, R., and Chithambo, M. L. (2011). Analytical expressions for time-resolved optically stimulated luminescence experiments in quartz. *Journal of Luminescence* **131**, 1827-1835.
- Pierce, K. L., Muhs, D. R., Fosberg, M. A., Mahan, S. A., Rosenbaum, J. G., Licciardi, J. M., and Pavich, M. J. (2011). A loess-paleosol record of climate and glacial history over the past two glacial-interglacial cycles (~ 150 ka), southern Jackson Hole, Wyoming. *Quaternary Research* **76**, 119-141.
- Polymeris, G. S., Afouxenidis, D., Raptis, S., Liritzis, I., Tsirliganis, N. C., and Kitis, G. (2011). Relative response of TL and component-resolved OSL to alpha and beta radiations in annealed sedimentary quartz. *Radiation Measurements* **46**, 1055-1064.
- Poreba, G., Snieszko, Z., and Moska, P. (2011). Some aspects of age assessment of Holocene loess colluvium: OSL and <sup>137</sup>Cs dating of sediment from Biala agricultural area, South Poland. *Quaternary International* **240**, 44-51.
- Reimann, T., Tsukamoto, S., Harff, J., Osadczuk, K., and Frechen, M. (2011). Reconstruction of Holocene coastal foredune progradation using luminescence dating -- An example from the Swina barrier (southern Baltic Sea, NW Poland). *Geomorphology* **132**, 1-16.
- Rosenberg, T. M., Preusser, F., and Wintle, A. G. (2011). A comparison of single and multiple aliquot TT-OSL data sets for sand-sized quartz from the Arabian Peninsula. *Radiation Measurements* **46**, 573-579.
- Roskin, J., Porat, N., Tsoar, H., Blumberg, D. G., and Zander, A. M. (2011). Age, origin and climatic controls on vegetated linear dunes in the northwestern Negev Desert (Israel). *Quaternary Science Reviews* **30**, 1649-1674.
- Roskin, J., Tsoar, H., Porat, N., and Blumberg, D. G. (2011). Palaeoclimate interpretations of Late Pleistocene vegetated linear dune mobilization episodes: evidence from the northwestern Negev dunefield, Israel. *Quaternary Science Reviews* **30**, 3364-3380.
- Sebe, K., Csillag, G., Ruzsáczay-Rüdiger, Z., Fodor, L., Tamó-Bozsó, E., Müller, P., and Braucher, R. (2011). Wind erosion under cold climate: A Pleistocene periglacial mega-yardang system in Central Europe (Western Pannonian Basin, Hungary). *Geomorphology* **134**, 470-482.
- Shao, Q., Bahain, J.-J., Falguères, C., Peretto, C., Arzarello, M., Minelli, A., Thun Hohenstein, U., Dolo, J.-M., Garcia, T., Frank, N., and Douville, E. (2011). New ESR/U-series data for the early Middle Pleistocene site of Isernia la Pineta, Italy. *Radiation Measurements* **46**, 847-852.

- Shen, Z., and Mauz, B. (2011). Estimating the equivalent dose of late Pleistocene fine silt quartz from the Lower Mississippi Valley using a standardized OSL growth curve. *Radiation Measurements* **46**, 649-654.
- Shen, Z. X., Mauz, B., and Lang, A. (2011). Source-trap characterization of thermally transferred OSL in quartz. *Journal of Physics D: Applied Physics* **44**, Art. No.295405.
- Sholom, S., DeWitt, R., Simon, S. L., Bouville, A., and McKeever, S. W. S. (2011). Emergency dose estimation using optically stimulated luminescence from human tooth enamel. *Radiation Measurements* **46**, 778-782.
- Skinner, A. R. (2011). Current topics in ESR dating. *Radiation Measurements* **46**, 749-753.
- Stančikaite, M., Baltrunas, V., Karmaza, B., Karmaziene, D., Molodkov, A., Ostrauskas, T., Obukhowsky, V. S., Sidorowich, W. M., and Motuzko, A. N. (2011). The late glacial history of gornitsa foreland and kovaltsy Palaeolithic site, W Belarus. *Baltica* **24**, 25-36.
- Starnberger, R., Rodnight, H., and Spötl, C. (2011). Chronology of the Last Glacial Maximum in the Salzach palaeoglacier area (Eastern Alps). *Journal of Quaternary Science* **26**, 502-510.
- Suguo, K., Bezerra, F. H. R., and Barreto, A. M. F. (2011). Luminescence dated Late Pleistocene wave-built terraces in northeastern Brazil. *Anais da Academia Brasileira de Ciencias* **83**, 907-920.
- Suther, B. E., Leigh, D. S., and Brook, G. A. (2011). Fluvial terraces of the little river valley, atlantic coastal plain, North Carolina. *Southeastern Geology* **48**, 73-93.
- Swift, D. A., Sanderson, D. C. W., Nienow, P. W., Bingham, R. G., and Cochrane, I. C. (2011). Anomalous luminescence of subglacial sediment at Haut Glacier d'Arolla, Switzerland – a consequence of resetting at the glacier bed? *Boreas* **40**, 446-458.
- Tamura, T., Bateman, M. D., Kodama, Y., Saitoh, Y., Watanabe, K., Yamaguchi, N., and Matsumoto, D. (2011). Building of shore-oblique transverse dune ridges revealed by ground-penetrating radar and optical dating over the last 500 years on Tottori coast, Japan Sea. *Geomorphology* **132**, 153-166.
- Tamura, T., Kodama, Y., Bateman, M. D., Saitoh, Y., Watanabe, K., Matsumoto, D., and Yamaguchi, N. (2011). Coastal barrier dune construction during sea-level highstands in MIS 3 and 5a on Tottori coast-line, Japan. *Palaeogeography, Palaeoclimatology, Palaeoecology* **308**, 492-501.
- Tanir, A. G., and Bölükdemir, M. H. (2011). Application of active-OSL Approximation to some experimental optical stimulated luminescence decay. *Turkish Journal of Physics* **35**, 265-272.
- Telfer, M. W. (2011). Growth by extension, and reworking, of a south-western Kalahari linear dune. *Earth Surface Processes and Landforms* **36**, 1125-1135.
- Thiel, C., Buylaert, J.-P., Murray, A., and Tsukamoto, S. (2011). On the applicability of post-IR IRSL dating to Japanese loess. *Geochronometria* **38**, 369-378.
- Thiel, C., Terhorst, B., Jaburová, I., Buylaert, J.-P., Murray, A. S., Fladerer, F. A., Damm, B., Frechen, M., and Ottner, F. (2011). Sedimentation and erosion processes in Middle to Late Pleistocene sequences exposed in the brickyard of Langenlois/Lower Austria. *Geomorphology* **135**, 295-307.
- Thompson, T. A., Lepper, K., Endres, A. L., Johnston, J. W., Baedke, S. J., Argyilan, E. P., Booth, R. K., and Wilcox, D. A. (2011). Mid Holocene lake level and shoreline behavior during the Nipissing phase of the upper Great Lakes at Alpena, Michigan, USA. *Journal of Great Lakes Research* **37**, 567-576.

Timar-Gabor, A., Vandenberghe, D. A. G., Vasiliniuc, S., Panaoitu, C. E., Panaiotu, C. G., Dimofte, D., and Cosma, C. (2011). Optical dating of Romanian loess: A comparison between silt-sized and sand-sized quartz. *Quaternary International* **240**, 62-70.

Tófaló, O., Orgeira, M. J., Compagnucci, R., Alonso, M. S., and Ramos, A. (2011). Characterization of a loess–paleosols section including a new record of the last interglacial stage in Pampean plain, Argentina. *Journal of South American Earth Sciences* **31**, 81-92.

Tripaldi, A., Zárate, M. A., Brook, G. A., and Li, G.-Q. (2011). Late Quaternary paleoenvironments and paleoclimatic conditions in the distal Andean piedmont, southern Mendoza, Argentina. *Quaternary Research* **76**, 253-263.

Völkel, J., Huber, J., and Leopold, M. (2011). Significance of slope sediments layering on physical characteristics and interflow within the Critical Zone - Examples from the Colorado Front Range, USA. *Applied Geochemistry* **26**, S143-S145.

Wacha, L., and Frechen, M. (2011). The geochronology of the "Gorjanovic loess section" in Vukovar, Croatia. *Quaternary International* **240**, 87-99.

Wagner, T., Fritz, H., Stüwe, K., Nestroy, O., Rodnight, H., Hellstrom, J., and Benischke, R. (2011). Correlations of cave levels, stream terraces and planation surfaces along the River Mur—Timing of landscape evolution along the eastern margin of the Alps. *Geomorphology* **134**, 62-78.

Wang, X. L., Wintle, A. G., Du, J. H., Kang, S. G., and Lu, Y. C. (2011). Recovering laboratory doses using fine-grained quartz from Chinese loess. *Radiation Measurements* **46**, 1073-1081.

Weckwerth, P., Przegiętka, K., Chruścińska, A., Woronko, B., and Oczkowski, H. (2011). Age and sedimentological features of fluvial series in the Toruń Basin and the Drwęca Valley (Poland). *Geochronometria* **38**, 397-412.

Winterfeld, M., Schirrmeister, L., Grigoriev, M. N., Kunitsky, V. V., Andreev, A., Murray, A., and Overduin, P. P. (2011). Coastal permafrost landscape development since the Late Pleistocene in the western Laptev Sea, Siberia. *Boreas* **40**, 697-713.

Wright, D. K., Forman, S. L., Waters, M. R., and Ravesloot, J. C. (2011). Holocene eolian activation as a proxy for broad-scale landscape change on the Gila River Indian Community, Arizona. *Quaternary Research* **76**, 10-21.

Yang, L., Lai, Z., Long, H., and Zhang, J. (2011). Construction of a quartz OSL standardised growth curve (SGC) for aeolian samples from the Horqin dunefield in northeastern China. *Geochronometria* **38**, 391-396.

Zahedifar, M., Harooni, S., and Sadeghi, E. (2011). Thermoluminescence kinetic analysis of quartz using an improved general order model for exponential distribution of activation energies. *NIMA* **654**, 569-574.

Zhu, Y., Shen, J., Lei, G. L., and Wang, Y. (2011). Environmental evolution of Xingkai (Khanka) Lake since 200 ka by OSL dating of sand hills. *Chinese Science Bulletin* **56**, 2604-2612.

#### **Papers from the L.A.I.S. conference published in Volume 10/4 of Mediterranean Archaeology and Archaeometry**

Burbridge, C. I., Rodrigues, A. L., Dias, M. I., Prudencio, M. I., and Cardoso, G. (2010). Optimisation of preparation and measurement protocols for luminescence dating of small samples from a suite of porcelains and faiences. *Mediterranean Archaeology and Archaeometry* **10**, 53-60.

Chung, H., Gonzalez, P., Ramirez, A., Schaaf, P., and Lee, I. (2010). Rethinking about chronology of Chichen Itza: by thermoluminescence dating of volcanic glass. *Mediterranean Archaeology and Archaeometry* **10**, 115-120.

Derese, C., Vandenberghe, D. A. G., Van Gils, M., Vanmontfort, B., Meirsman, E., Mees, F., and Van Den Haute, P. (2010). Establishing a chronology for landscape evolution around a final Palaeolithic site at Arendonk - Korhaan (Ne Belgium): First results from optically stimulated luminescence dating. *Mediterranean Archaeology and Archaeometry* **10**, 43-51.

Galli, A., Martini, M., Sibila, E., and Villa, I. (2010). Towards luminescence dating of mosaic glass. *Mediterranean Archaeology and Archaeometry* **10**, 77-82.

Garcia-Guinea, J., Crespo-Feo, E., Correcher, V., Iordanidis, A., Charalampides, G., and Karamitrou-Mentessidi, G. (2010). New data on the cathodoluminescence of white marbles: Interpretation of peaks and relationships to weathering. *Mediterranean Archaeology and Archaeometry* **10**, 107-114.

Kitis, G., Kiyak, N. G., Polymeris, G. S., and Pagonis, V. (2010). Investigation of the OSL signal from very deep traps in natural quartz. *Mediterranean Archaeology and Archaeometry* **10**, 93-98.

Kiyak, N. G., Takaoglu, T., Erginal, A. E., and Ozcan, H. (2010). Luminescence dating of prehistoric site of Smintheion (Gulpinar) in NW Turkey. *Mediterranean Archaeology and Archaeometry* **10**, 35-42.

Liritzis, I., Zacharias, N., Polymeris, G. S., Kitis, G., Ernstson, K., Sudhaus, D., Neumair, A., Mayer, W., Rappenglück, M. A., and Rappenglück, B. (2010). The Chiemgau meteorite impact and tsunami event (southeast Germany): First OSL dating. *Mediterranean Archaeology and Archaeometry* **10**, 17-33.

Michael, C. T., Zacharias, N., and Hein, A. (2010). Thick source alpha particle spectroscopy: possibilities and prospects. *Mediterranean Archaeology and Archaeometry* **10**, 99-105.

Polymeris, G. S., Gogou, D., Afouxenidis, D., Rapti, S., Tsirliganis, N. C., and Kitis, G. (2010). Preliminary TL and OSL investigation of a naturally and artificially irradiated obsidian. *Mediterranean Archaeology and Archaeometry* **10**, 83-91.

Ramirez, A., Schaaf, P., and Ortiz, E. (2010). Analysis of Zapotec ceramics of the Caxonos River Basin, Oaxaca, Mexico by thermoluminescence (TL). *Mediterranean Archaeology and Archaeometry* **10**, 121-127.

Singhvi, A. K., Chauhan, N., and Biswas, R. H. (2010). A survey of some new approaches in extending the maximum age limit and accuracy of luminescence application to archaeological chronometry. *Mediterranean Archaeology and Archaeometry* **10**, 9-15.

Subedi, B., Afouxenidis, D., Polymeris, G. S., Bakoglidis, K., Raptis, S., Tsirliganis, N., and Kitis, G. (2010). Thermal quenching of thermoluminescence in quartz samples of various origins. *Mediterranean Archaeology and Archaeometry* **10**, 69-75.

Subedi, B., Afouxenidis, D., Polymeris, G. S., Tsirliganis, N., Paraskevopoulos, K. M., and Kitis, G. (2010). TL and OSL response of Turquoise for dosimetric application. *Mediterranean Archaeology and Archaeometry* **10**, 61-67.

Wagner, G. A., and Kadereit, A. (2010). Luminescence dating – A key technology in geoarchaeology. *Mediterranean Archaeology and Archaeometry* **10**, 3-8.



**Papers from the '2nd Asia Pacific Conference on Luminescence Dating' conference published in Volume 38/3 of *Geochronometria***

Chauhan, N., and Singhvi, A. (2011). Distribution in SAR palaeodoses due to spatial heterogeneity of natural beta dose. *Geochronometria* **38**, 190-198.

Craig, J., and Sears, D. (2011). Thermoluminescence as a technique for determining the nature and history of small solar system particles. *Geochronometria* **38**, 272-281.

Fitzsimmons, K. (2011). An assessment of the luminescence sensitivity of Australian quartz with respect to sediment history. *Geochronometria* **38**, 199-208.

Glennie, K., Fryberger, S., Hern, C., Lancaster, N., Teller, J., Pandey, V., and Singhvi, A. (2011). Geological importance of luminescence dates in Oman and the Emirates: An overview. *Geochronometria* **38**, 259-271.

Kitis, G., Polymeris, G., Kiyak, N., and Pagonis, V. (2011). Preliminary results towards the equivalence of transformed continuous-wave Optically Stimulated Luminescence (CW-OSL) and linearly-modulated (LM-OSL) signals in quartz. *Geochronometria* **38**, 209-216.

Koul, D., and Chougankar, M. (2011). An attempt to estimate firing temperature using OSL pre-dose sensitization of quartz. *Geochronometria* **38**, 217-222.

Liritzis, I. (2011). Surface dating by luminescence: An overview. *Geochronometria* **38**, 292-302.

Morthekai, P., Jain, M., Cunha, P., Azevedo, J., and Singhvi, A. (2011). An attempt to correct for the fading in million year old basaltic rocks. *Geochronometria* **38**, 223-230.

Rajaguru, S., Deotare, B., Gangopadhyay, K., Sain, M., and Panja, S. (2011). Potential geoarchaeological sites for luminescence dating in the Ganga Bhagirathi-Hugli delta, west Bengal, India. *Geochronometria* **38**, 282-291.

Sears, D. (2011). The thermoluminescence of meteorites: A brief 2010 perspective. *Geochronometria* **38**, 303-313.

Singhvi, A., Stokes, S., Chauhan, N., Nagar, Y., and Jaiswal, M. (2011). Changes in natural OSL sensitivity during single aliquot regeneration procedure and their implications for equivalent dose determination. *Geochronometria* **38**, 231-241.

Sohbati, R., Murray, A., Jain, M., Buylaert, J.-P., and Thomsen, K. (2011). Investigating the resetting of OSL signals in rock surfaces. *Geochronometria* **38**, 249-258.

Toyoda, S. (2011). The E1' center in natural quartz: Its formation and applications to dating and provenance researches. *Geochronometria* **38**, 242-248.

**Papers from a special issue on 'Loess in Europe' in Volume 60/1 of *E&G Quaternary Science Journal***

Frank, C., Terhorst, B., Damm, B., Thiel, C., Frechen, M., and Peticzka, R. (2011). Pleistocene loess deposits and mollusc assemblages in the Eastern Pre-Alps. *E&G Quaternary Science Journal* **60**, 126-136.

Frechen, M., and Schirmer, W. (2011). Luminescence Chronology of the Schwalbenberg II Loess in the Middle Rhine valley. *E&G Quaternary Science Journal* **60**, 78-89.

Kruck, W., Helms, F., Geyh, M. A., Suriano, J. M., Marengo, H. G., and Pereyra, F. (2011). Late Pleistocene-Holocene History of Chaco-Pampa Sediments in Argentina and Paraguay. *E&G Quaternary Science Journal* **60**, 188–202.

Schmidt, E. D., Murray, A. S., Sirocko, F., Tsukamoto, S., and Frechen, M. (2011). IRSL signals from maar Lake sediments stimulated at various temperatures. *E&G Quaternary Science Journal* **60**, 105–115.

Schmidt, E. D., Semmel, A., and Frechen, M. (2011). Luminescence dating of the loess/palaeosol sequence at the gravel quarry Gaul/Weilbach, southern Hesse (Germany). *E&G Quaternary Science Journal* **60**, 116–125.

Thiel, C., Buylaert, J.-P., Murray, A. S., Terhorst, B., Tsukamoto, S., Frechen, M., and Sprafke, T. (2011). Investigating the chronostratigraphy of prominent palaeosols in Lower Austria using post-ir IRSL dating. *E&G Quaternary Science Journal* **60**, 137–152.

Urban, B., Kunz, A., and Gehrt, E. (2011). Genesis and dating of Late Pleistocene-Holocene soil sediment sequences from the Lüneburg Heath, northern Germany. *E&G Quaternary Science Journal* **60**, 6–26.

Wacha, L., Pavlaković, S. M., Frechen, M., and Crnjakovi, M. (2011). The Loess Chronology of the Island of Susak, Croatia. *E&G Quaternary Science Journal* **60**, 153-169.